

Appendix B



Subject ID: Site ID: MGH InitID:

Date: Cycle Visit: 1A 1B 2A 2B 3A 3B

Biological Sample and Shipment Notification Form

Please email or fax the form on or prior to the date of shipment.

To: Kelley Faber Emai	l: alzstudy@iu.edu	FAX: 317	7-321-2003	Phone: 1-800-526-2839		
General Information:						
From:		Date:				
Phone:		Email:				
Study: ADDS DS Participant		Kit #:				
Sex: M F Year of Birth:			KIT BARCODE			
FedEx tracking #:			!		·	
Blood Collection:						
1. Date Drawn:[YYYYMMDD]		2. Time of Draw (24 hour clock):[HHMM]			нмм]	
3. Last time subject ate (Date):		4. Last time subject ate (24 hour clock): [HHN			[HHMM]	
5. Was the EDTA tube placed on ice immediately after inverting tube 5 times until centrifugation began? Yes No						
Blood Processing:						
Plasma (EDTA/Lavender Top Tube)			Serum (Serum Separator/Gold Top Tube)			
Time spin started (24 hour clock):	[HHMM]		Time spin started (24 hour clock) (30 minutes after draw time):		r[ННММ]	
Duration of centrifuge:	[minutes]	• Dura	ation of centrifuge:		[minutes]	
• Temp of centrifuge: v g		Temp of centrifuge:°C Rate of centrifuge:			trifuge:x g	
Original volume drawn (1x10 mL EDTA tube): mL		Original volume drawn (2x5 mL Serum tube):			mL	
Time aliquoted: [HHMM]		Time aliquoted:			[HHMM]	
Number of 0.25 mL plasma aliquots created (16-20 total) (Siliconized cryovial):x 0.25 mL		Number of 0.25 mL serum aliquots created (16-20 total) (Siliconized cryovial): ———————————————————————————————————			x 0.25 mL	
 If applicable, volume of residual plasma aliquot (less than 0.25 mL) (Siliconized cryovial): 	mL		pplicable, volume of residual serum aliquot (less in 0.25 mL) (Siliconized cryovial):		mL	
If applicable, specimen number of residual aliquot (Last four digits):			oplicable, specimen number of residual aliquot t four digits):			
Time aliquots placed in freezer (24 hour clock):	[HHMM]	• Tim	• Time aliquots placed in freezer (24		[HHMM]	
Storage temperature of freezer:	°C	Storage temperature of freezer:			°c	
Buffy coat aliquot created (one per EDTA tube) (Blue cap cryovial):			Note: Bulleted items not entered into eCRF.			
Notes:						